Plant Molecular Biology **25**: 1031–1038, 1994.

Contents of Volume 25

Vol. 25 No. 1 April 1994

Research articles

TGA3 is a distinct member of the TGA family of bZIP transcription factors in *Arabidopsis thaliana* 1
Z.-H. Miao, X. Liu, E. Lam

Chloroplast encoded thioredoxin genes in the red algae *Porphyra yezoensis* and *Griffithsia pacifica*: evolutionary implications 13
A.E. Reynolds, J.M. Chesnick, J. Woolford†, R.A. Cattolico

Expression and genomic organization of a dinoflaggellate gene family 23
S. MacHabée, L. Wall, D. Morse

The highly edited *orf206* in *Oenothera* mitochondria may encode a component of a heme transporter involved in cytochrome *c* biogenesis 33
W. Schuster

***Triticum aestivum* puroindolines, two basic cystine-rich seed proteins: cDNA sequence analysis and developmental gene expression** 43
M.-F. Gautier, M.-E. Aleman, A. Guirao, D. Marion, P. Joudrier

Molecular cloning, sequence determination and heterologous expression of nucleoside diphosphate kinase from *Pisum sativum* 59
P.M. Finan, I.R. White, S.H. Redpath, J.B.C. Findlay, P.A. Millner

Separation of two classes of plastid DNA-dependent RNA polymerases that are differentially expressed in mustard (*Sinapis alba* L.) seedlings 69
T. Pfannschmidt, G. Link

Oncogene arrangement in a shooty strain of *Agrobacterium tumefaciens* 83
C. Drevet, A.C.M. Brasileiro, L. Jouanin

Differential screening of mitochondrial cDNA libraries from male-fertile and cytoplasmic male-sterile sugar-beet reveals genome rearrangements at *atp6* and *atpA* loci 91
Y. Xue, S. Collin, D.R. Davies, C.M. Thomas

Characterization and *in situ* localization of a salt-induced tomato peroxidase mRNA 105
M.A. Botella, M.A. Quesada, A.K. Kononowicz, R.A. Bressan, F. Pliego, P.M. Hasegawa, V. Valpuesta

Initiator-dependent transcription *in vitro* by a wheat germ chromatin extract 115
P. Schweizer, E. Mösinger

Short communication

The legumin gene family: a reconstructed *Vicia faba* legumin gene encoding a high-molecular-weight subunit is related to type B genes 131
U. Heim, H. Bäumlein, U. Wobus

Volume 25 No. 2 May 1994

News and views

Capturing of host DNA by a plant retroelement: *Bs1* encodes plasma membrane H^+-ATPase domains 137
M. G. Palmgren

Mini-review

Protein engineering in the α-amylase family: catalytic mechanism, substrate specificity, and stability 141
B. Svensson

Research articles

mRNA accumulation and promoter activity of the gene coding for a hydroxyproline-rich glycoprotein in *Oryza sativa* 159
Y. Guo, M. Delseny, P. Puigdomènech

The 24kDa outer envelope membrane protein from spinach chloroplasts: molecular cloning, *in vivo* expression and import pathway of a protein with unusual properties 167
K. Fischer, A. Weber, B. Arbinger, S. Brink, C. Eckerskorn, U.-I. Flügge

Acetoacyl-acyl carrier protein synthase from avocado: its purification, characterisation and clear resolution from acetyl CoA:ACP transacylase 179
B.S. Gulliver, A.R. Slabas

Regulation of an *Arabidopsis* oleosin gene promoter in transgenic *Brassica napus* 193
A.L. Plant, G.J.H. van Rooijen, C.P. Anderson, M.M. Moloney

Ethylene regulates the expression of a cysteine proteinase gene during germination of chickpea (*Cicer arietinum* L.) 207
E. Cervantes, A. Rodríguez, G. Nicolás

Differential accumulation of *S*-adenosylmethionine synthetase transcripts in response to salt stress 217
J. Espartero, J.A. Pintor-Toro, J.M. Pardo

A new, pathogen-inducible gene of *Arabidopsis* is expressed in an ecotype-specific manner 229
W. Aufsatz, C. Grimm

A hydroxyproline-containing class IV chitinase of sugar beet is glycosylated with xylose 241
K.K. Nielsen, K. Bojsen, P. Roepstorff, J.D. Mikkelsen

Characterization of a cDNA from *Arabidopsis thaliana* encoding a potential thiol protease whose expression is induced independently by wilting and abscisic acid 259
J. Williams, M. Bulman, A. Huttly, A. Phillips, S. Neill

Molecular features, processing and import of the Rieske iron-sulfur protein from potato mitochondria 271
M. Emmermann, M. Clericus, H.-P. Braun, T. Mozo, L. Heins, V. Kruft, U.K. Schmitz

Characterization of a tobacco gene encoding a pollen-specific polygalacturonase 283
S.J. Tebbutt, H.J. Rogers, D.M. Lonsdale

Developmental, hormonal, and pathogenesis-related regulation of the tobacco, class I β-1,3-glucanase B promoter 299
R. Vögeli-Lange, C. Fründt, C.M. Hart, F. Nagy, F. Meins, Jr.

Short communications

Molecular characterisation of cDNA clones representing pectin esterase isozymes from tomato 313
L.N. Hall, C.R. Bird, S. Picton, G.A. Tucker, G.B. Seymour, D. Grierson

A ubiquitously expressed MADS-box gene from *Nicotiana tabacum* 319
T. Mandel, I. Lutziger, C. Kuhlemeier

The plant transcription factor TGA1 stimulates expression of the CaMV 35S promoter in *Saccharomyces cerevisiae* 323
J. Rüth, R.J. Schweyen, H. Hirt

Sequence announcements 329

Instructions to authors 331

Volume 25 No. 3 June 1994

News and views

Regulatory genes controlling flowering time or floral organ development 335
G. An

Identification of unexplained DNA fragments within the T-DNA borders of the Bin 19 plant transformation vector 339
R.G. Fray, A.D. Wallace, D. Grierson

Research articles

Isolation of a cytochrome P450 homologue preferentially expressed in developing inflorescences of *Zea mays* 343
J.C. Larkin

Cloning and nucleotide sequence of a cDNA encoding a major fucoxanthin-, chlorophyll *a/c*-containing protein from the chrysophyte *Isochrysis galbana*: implications for evolution of the *cab* gene family 355
J. LaRoche, D. Henry, K. Wyman, A. Sukenik, P. Falkowski

Tissue-specific expression of the large ATP synthase gene cluster in spinach plastids 369
C.D. Green, M.J. Hollingsworth

Modification of carbonic anhydrase activity by antisense and over-expression constructs in transgenic tobacco 377
N. Majeau, MA. Arnoldo, J.R. Coleman

Genomic structure, expression and evolution of the alfalfa aspartate aminotransferase genes 387
R.G. Gregerson, S.S. Miller, M. Petrowski, J.S. Gantt, C.P. Vance

Isolation of a monocot 3-hydroxy-3-methylglutaryl coenzyme A reductase gene that is elicitor-inducible 401
A.J. Nelson, P.W. Doerner, Q. Zhu, C.J. Lamb

The phytochrome apoprotein family in *Arabidopsis* is encoded by five genes: the sequences and expression of *PHYD* and *PHYE* 413
T. Clack, S. Mathews, R.A. Sharrock

Tissue-specific expression and temporal regulation of the rice glutelin Gt3 gene are conferred by at least two spatially separated *cis*-regulatory elements 429
Y. Zhao, D.J. Leisy, T.W. Okita

Ribosome-binding sites on chloroplast *rbcL* and *psbA* mRNAs and light-induced initiation of D1 translation 437
J. Kim, J.E. Mullet

Gene expression of nitrite reductase in Scots pine (*Pinus sylvestris* L.) as affected by light and nitrate 449
A. Neininger, B. Seith, B. Hoch, H. Mohr

Vir-115 gene product is required to stabilize D1 translation intermediates in chloroplasts 459
J. Kim, P. Gamble Klein, J.E. Mullet

Expressed sequence tags from cultured cells of rice (*Oryza sativa* L.) under stressed conditions: analysis of transcripts of genes engaged in ATP-generating pathways 469
M. Umeda, C. Hara, Y. Matsubayashi, H.-H. Li, Q. Liu, F. Tadokoro, S. Aotsuka, H. Uchimiya

Expression of sunflower low-molecular-weight heat-shock proteins during embryogenesis and persistence after germination: localization and possible functional implications 479
M.A. Coca, C. Almoguera, J. Jordano

A novel DNA-binding domain in the *Shrunken* initiator-binding protein (IBP1) 493
T. Lugert, W. Werr

Isolation and characterization of two tightly linked catalase genes from castor bean that are differentially regulated 507
M. Suzuki, T. Ario, T. Hattori, K. Nakamura, T. Asahi

Changes of amino acid sequence in PEST-like area and QEEET motif affect degradation rate of D1 polypeptide in photosystem II 517
T. Tyystjärvi, E.-M. Aro, C. Jansson, P. Mäenpää

Tobacco cytochrome b_5: cDNA isolation, expression analysis and *in vitro* protein targeting 527
M.A. Smith, A.K. Stobart, P.R. Shewry, J.A. Napier

Short communications

Characterization of a pollen-expressed gene encoding a putative pectin esterase of *Petunia inflata* 539
J.-H. Mu, J.P. Stains, T.-h. Kao

Isolation of a poplar and an *Arabidopsis thaliana* dihydrodipicolinate synthase cDNA clone 545
M. Vauterin, M. Jacobs

Differential expression in *Arabidopsis* of *Lhca2*, a PSI cab gene 551
H. Zhang, J. Wang, H.M. Goodman

Another *Lea* B19 gene (Group1 *Lea*) from barley containing a single 20 amino acid hydrophilic motif 559
K. Hollung, M. Espelund, K.S. Jakobsen

Stability of the maize chromosomal high-mobility-group proteins, HMGa and HMGb, *in vivo* 565
K.D. Grasser, W. Hetz, G. Feix

Destabilization of *rbcS* sense transcripts by antisense RNA 569
C.-Z. Jiang, D. Kliebenstein, N. Ke, S. Rodermel

Isolation of a cDNA encoding a 70 kDa heat-shock cognate protein expressed in vegetative tissues of *Arabidopsis thaliana* 577
S.-H. Wu, C. Wang, J. Chen, B.-L. Lin

Sequence announcements 585

Volume 25 No. 4 July 1994

Research articles

Effect of chitinase antisense RNA expression on disease susceptibility of *Arabidopsis* plants 587
D.A. Samac, D.M. Shah

Ginkgo 11S seed storage protein family mRNA: unusual Asn-Asn linkage as post-translational cleavage site 597
M. Arahira, C. Fukazawa

Structure and expression of an inhibitor of fungal polygalacturonases from tomato 607
H.U. Stotz, J.J.A. Contos, A.L.T. Powell, A.B. Bennett, J.M. Labavitch

Molecular cloning of a chloroplastic protein associated with both the envelope and thylakoid membranes 619
H.-M. Li, Y. Kaneko, K. Keegstra

Comparative RFLP mapping of an allotetraploid wild rice species (*Oryza latifolia*) and cultivated rice (*O. sativa*) 633
H. Huang, G. Kochert

Isolation of an *Arabidopsis thaliana* casein kinase II β subunit by complementation in *Saccharomyces cerevisiae* 649
M.A. Collinge, J.C. Walker

A single *Arabidopsis* GF14 isoform possesses biochemical characteristics of diverse 14-3-3 homologues 659
G. Lu, N.C. de Vetten, P.C. Sehnke, T. Isobe, T. Ichimura, H. Fu, G.P.H. van Heusden, R.J. Ferl

Differential transcription of plastome-encoded genes in the mesophyll and bundle-sheath chloroplasts of the monocotyledonous NADP-malic enzyme-type C_4 plants maize and *Sorghum* 669
A. Kubicki, K. Steinmüller, P. Westhoff

Expression in different populations of cells of the root meristem is controlled by different domains of the *rolB* promoter 681
I. Capone, G. Frugis, P. Costantino, M. Cardarelli

Two related low-temperature-inducible genes of *Arabidopsis* encode proteins showing high homology to 14-3-3 proteins, a family of putative kinase regulators 693
J.A. Jarillo, J. Capel, A. Leyva, J.M. Martínez-Zapater, J. Salinas

A dioxygenase gene (*Ids2*) expressed under iron deficiency conditions in the roots of *Hordeum vulgare* 705
N. Okumura, N.-K. Nishizawa, Y. Umehara, T. Ohata, H. Nakanishi, T. Yamaguchi, M. Chino, S. Mori

Non-recombinant background in gene targeting: illegitimate recombination between a *hpt* gene and a defective 5′ deleted *nptII* gene can restore a Km^r phenotype in tobacco 721
M.J.A. de Groot, R. Offringa, J. Groet, M.P. Does, P.J.J. Hooykaas, P.J.M. van den Elzen

Short communications

***Synechocystis* sp. PCC6803 *fusB* gene, located outside of the *str* operon, encodes a polypeptide related to protein synthesis factor EF-G** 735
P.L. Welsch, D.R. Johnson, Y. Zhang, C.A. Breitenberger

Isolation of a mRNA encoding a nucleoside diphosphate kinase from tomato that is up-regulated by wounding 739
N. Harris, J.E. Taylor, J.A. Roberts

A ribosomal protein S10 gene is found in the mitochondrial genome in *Solanum tuberosum* 743
S. Zanlungo, V. Quiñones, A. Moenne, L. Holuigue, X. Jordana

The structure of the rDNA intergenic spacer of *Avena sativa* L.: a comparative study 751
C. Polanco, M. Pérez De La Vega

Sequence announcements 757

Erratum 759

Volume 25 No. 5 August 1994

Research articles

Developmental and environmental regulation of two ribosomal protein genes in tobacco 761
J. Gao, S.-R. Kim, Y.-Y. Chung, J.M. Lee, G. An

The use of a hybrid genetic system to study the functional relationship between prokaryotic and plant multi-enzyme fatty acid synthetase complexes 771
M.M. Kater, G.M. Koningstein, H.J.J. Nijkamp, A.R. Stuitje

Cloning of cDNAs for genes that are early-responsive to dehydration stress (ERDs) in *Arabidopsis thaliana* L.: identification of three ERDs as HSP cognate genes 791
T. Kiyosue, K. Yamaguchi-Shinozaki, K. Shinozaki

Wound-induced and developmental activation of a poplar tree chitinase gene promoter in transgenic tobacco 799
H.R.G. Clarke, J.M. Davis, S.M. Wilbert, H.D. Bradshaw, Jr., M.P. Gordon

Large tandem duplication associated with a *Mu2* insertion in *Zea mays B-Peru* gene 817
L.J. Harris, K. Currie, V.L. Chandler

Cytokinin regulation of a soybean pollen allergen gene 829
D.N. Crowell

Cyclophilins are encoded by a small gene family in rice 837
W.G. Buchholz, L. Harris-Haller, R.T. DeRose, T.C. Hall

Cloning of a lectin cDNA and seasonal changes in levels of the lectin and its mRNA in the inner bark of *Robinia speudoacacia* 845
K. Yoshida, K. Baba, N. Yamamoto, K. Tazaki

A protein involved in co-ordinated regulation of inorganic carbon and glucose metabolism in the facultative photoautotrophic cyanobacterium *Synechocystis* PCC6803 855
L. Beuf, S. Bédu, M.-C. Durand, F. Joset

Sequencing and characterization of the kinesin-related genes *katB* and *katC* of *Arabidopsis thaliana* 865
H. Mitsui, K. Nakatani, K. Yamaguchi-Shinozaki, K. Shinozaki, K. Nishikawa, H. Takahashi

Cloning and characterization of five cDNAs for genes differentially expressed during fruit development of kiwifruit (*Actinidia deliciosa* var. *deliciosa*) 877
S.E. Ledger, R.C. Gardner

The tomato gene for the chloroplastic Cu,Zn superoxide dismutase: regulation of expression imposed in transgenic tobacco plants by a short promoter 887
N. Kardish, N. Magal, D. Aviv, E. Galun

Localization of the VirA domain involved in acetosyringone-mediated *vir* gene induction in *Agrobacterium tumefaciens* 899
S.C.H.J. Turk, R.P. van Lange, T.J.G. Regensburg-Tuïnk, P.J.J. Hooykaas

Short communications

Analysis of the cytosolic hsp70 gene family in *Zea mays* 909
E.E.M. Bates, P. Vergne, C. Dumas

Molecular cloning of a cDNA from *Brassica napus* L. for a homologue of acyl-CoA-binding protein 917
M.J. Hills, R. Dann, D. Lydiate, A. Sharpe

CG-1, a parsley light-induced DNA-binding protein 921
O. da Costa e Silva

Volume 25 No. 6 September 1994

Editorial iii

Mini-review

Molecular improvement of cereals 925
I.K. Vasil

Research articles

DNA typing of grapevines: A universal methodology and database for describing cultivars and evaluating genetic relatedness 939
M.R. Thomas, P. Cain, N.S. Scott

Structure and function of selectable and non-selectable transgenes in maize after introduction by particle bombardment 951
J.C. Register III, D.J. Peterson, P.J. Bell, W.P. Bullock, I.J. Evans, B. Frame, A.J. Greenland, N.S. Higgs, I. Jepson, S. Jiao, C.J. Lewnau, J.M. Sillick, H.M. Wilson

Small-scale field tests with transgenic potato, cv. Bintje, to test resistance to primary and secondary infections with potato virus y 963
P. Malnoë, L. Farinelli, G.F. Collet, W. Reust

Expression of a bacterial gene in transgenic plants confers resistance to the herbicide phenmedipham 977
W.R. Streber, U. Kutschka, F. Thomas, H-D. Pohlenz

The small, versatile *pPZP* family of *Agrobacterium* binary vectors for plant transformation 989
P. Hajdukiewicz, Z. Svab, P. Maliga

Production of *Agrobacterium*-mediated transgenic fertile plants by direct somatic embryogenesis from immature zygotic embryos of *Datura innoxia* 995
C. Ducrocq, R.S. Sangwan, B.S. Swangwan-Norreel

Method paper

MAAP: a versatile and universal tool for genome analysis 1011
G. Caetano-Anollés

Instructions to authors 1027

Contents of volume 25 1031

Author index 1039